

**Undernutrition Amongst Under-Five Children Belonging to High Income Group  
Communities in India**

**AAKRITI GUPTA AND \*UMESH KAPIL**

*Department of Human Nutrition, All India Institute of Medical Sciences, New Delhi, India.*

*Email: umeshkapil@gmail.com*

**PII: S097475591600065**

***Note:** These early-online versions of the article are manuscripts that have been accepted for publication. These have been posted to the website for making it available to readers, ahead of its publication in print. This version will undergo copy-editing, typesetting, and proofreading, before final publication; and the text may undergo changes in the final version.*

According to RSOC (2013-2014) data, high prevalence of stunting (26.7%) and wasting (13.0%) exists amongst under-five children belonging to highest wealth index communities. India possibly cannot achieve the 2025 Global nutrition targets for reducing the rate of stunting and wasting amongst Under-five children, unless efforts are not directed towards highest wealth index communities also.

**Keywords:** *National Family Health Survey, Rapid Survey of Children, Global Nutrition targets, Stunting, Wasting, Undernutrition*

Keeping in view the health consequences of undernutrition, the World Health Assembly in the year 2012, adopted the 2025 Global nutrition targets, to which India is a signatory. These targets are aimed to achieve: (i) 40% reduction in the number of U5 who are stunted (target I) *i.e.* from the present level of 38.7% [1] to 23%; and (ii) reduction and maintenance in childhood wasting to less than 5% (target VI) from the present level of 15.1% [1] by 2025. In order to achieve these targets, the Government of India is strengthening the nutrition and health interventions directed towards low income group communities. This is due to the common belief that undernutrition is a result of the cumulative effects of inadequate food intake, lack of safe drinking water, poor sanitation and hygiene practices, low parental education status, poor infant and young child feeding (IYCF) practices, monetary constraints and other related detrimental factors present in the poor households [2,3]. Since these common etiological factors of undernutrition are possibly lacking in the highest wealth index (HWI) communities, the rate of undernutrition is expected to be low.

We conducted a secondary analysis of National Family Health survey-3 (NFHS-3) (2005-2006) [4] and Rapid Survey of Children (RSOC) (2013-2014) [1] data to assess the prevalence of stunting and wasting amongst Under-five children belonging to the HWI families. Socioeconomic status as defined by highest and lowest wealth index was compared with the

prevalence of stunting and wasting as defined by Z score below -2SD score amongst under-five children. We further assessed the trend in reduction of stunting and wasting over a decade (2005-2014).

Our secondary analysis revealed high prevalence of stunting (27%) and wasting (13%) amongst the HWI families as per RSOC (*Table I*). No reduction in the prevalence of stunting and wasting was seen amongst under-five children belonging to HWI families during the decade of 2005-2014 (*Table I*).

Inadequate IYCF practices, being an important determinant of stunting and underweight amongst under-five children, may have resulted in high undernutrition amongst HWI families. According to RSOC, only 62% mothers belonging to HWI families practiced exclusive breastfeeding for 6 months. Complementary foods were provided to only 62.1% children aged 6-8 months, and only 26.5% children aged 6-23 months consumed complementary foods with minimum dietary diversity (four or more food groups). Although the rate of decline in under nutrition amongst under-five children have accelerated since 2006 (*Table I*), with high rates of stunting and wasting in HWI families, India is unlikely to achieve the WHO Global Nutrition targets. There is a need to direct health and nutritional education based interventions on optimal IYCF practices [5-7] to HWI communities also, to reduce the prevalence of undernutrition in the country.

## REFERENCES

1. Ministry of Women & Child Development, UNICEF. Rapid Survey on Children (RSOC). 2014. Available from : [http://wcd.nic.in/issnip/National\\_Fact%20sheet\\_RSOC%20\\_02-07-2015.pdf](http://wcd.nic.in/issnip/National_Fact%20sheet_RSOC%20_02-07-2015.pdf). Accessed July 9, 2016.
2. Corsi DJ, Mejía-Guevara I, Subramanian SV. Risk factors for child chronic undernutrition in India: Estimating relative importance, population attributable risk and fractions. *Soc Sci Med*. 2016;157:165-85.
3. Patel A, Pusdekar Y, Badhoniya N, Borkar J, Agho KE, Dibley MJ. Determinants of inappropriate complementary feeding practices in young children in India: secondary analysis of National Family Health Survey 2005–2006. *Mater Child Nutr*. 2012;8:28-44.
4. International Institute for Population Sciences: National Family Health Survey (NFHS-3): India (Mumbai: IIPS), 2005-06. Available from : <http://rchiips.org/nfhs/>. Accessed July 9, 2016.
5. Bhandari N, Mazumder S, Bahl R, Martines J, Black RE, Bhan MK, *et al*. An educational intervention to promote appropriate complementary feeding practices and physical growth in infants and young children in rural Haryana, India. *Journal Nutr*. 2004;134:2342-8.
6. Kilaru A, Griffiths PL, Ganapathy S, Shanti G. *Community*-based nutrition education for improving infant growth in rural Karnataka. *Indian Pediatr*. 2005;42:425-32.
7. Penny ME, Creed-Kanashiro HM, Robert RC, Narro MR, Caulfield LE, Black RE. Effectiveness of an educational intervention delivered through the health services to improve nutrition in young children: A cluster-randomised controlled trial. *Lancet*. 2005;365:1863-72.

**TABLE I** PREVALENCE OF STUNTING AND WASTING AMONGST UNDER-FIVE CHILDREN BELONGING TO HIGHEST AND LOWEST WEALTH INDEX FAMILIES

<i>Indicators of Undernutrition</i>	<i>NFHS-3 (2005-2006)</i>	<i>RSOC (2013-2014)</i>	<i>Percentage reduction</i>
<i>Stunting</i>			
Highest Wealth Index	25.3	26.7	-1.4
Lowest Wealth Index	59.9	50.7	9.2
<i>Wasting</i>			
Highest Wealth Index	12.7	13	-0.3
Lowest Wealth Index	25	17	8