

Body Image and its Relation with Body Mass Index among Indian Adolescents

VAISHALI R DESHMUKH AND #ADITI A KULKARNI

From Departments of Pediatrics and #Research, Deenanath Mangeshkar Hospital and Research Centre, Pune, India.

Correspondence to: Dr Vaishali R Deshmukh, Department of Pediatrics, Deenanath Mangeshkar Hospital and Research Centre, Erandawane, Pune 411004, India. vrdesh06@gmail.com

PII: S097475591600086

***Note:** These early-online versions of the article are manuscripts that have been accepted for publication. These have been posted to the website for making it available to readers, ahead of its publication in print. This version will undergo copy-editing, typesetting, and proofreading, before final publication; and the text may undergo changes in the final version.*

ABSTRACT

Objective: To evaluate association of body mass index with perception and attitude towards body weight, shape and body image among adolescents. **Methods:** This cross sectional study was done on 1811 adolescents. Attitude towards body image was assessed by using a self-administered Multidimensional Body-Self Relations Questionnaire. Perceived body shape was measured using the Stunkard scale. **Results:** Adolescents showed significant difference ($P<0.005$) in perceptions and behaviors related to appearance, fitness, health, body areas and weight in various body mass index and socioeconomic categories. Girls articulated significantly higher ($P<0.005$) body dissatisfaction than boys. **Conclusions:** Adolescents have major concerns regarding body image. Attitudes and perceptions towards body image differ with sex, body mass index and socioeconomic class.

Keywords: *Adolescents, Body image, Body Mass Index.*

INTRODUCTION

Body image is the way a person perceives or thinks about his/her body and how it looks to others. It can be divided into perceptual and attitudinal body image. A person is said to be suffering from poor body image when he/she focuses on the negative or imaginary negative aspects related to body or its competence to the total exclusion of positive aspects [1]. A study on factors of body image in Japanese and Vietnamese adolescents concluded that girls from both Vietnam and Japan prefer a thinner body image than healthy body image but Japanese girls desire a smaller ideal size than Vietnamese girls do. Besides, Vietnamese boys desire more muscular body than Japanese boys [2]. This signifies that there are sociocultural differences in body image perception among various groups of adolescents. This highlights the need to study body image concerns in adolescents from various sociocultural backgrounds. The association between body image concerns and body weight is well documented in adults, but not many such studies have been done on Indian adolescents [3-5]. Besides, majority of studies focused only on female adolescents and college-going population [6,7]. In this study, we evaluated association of body mass index (BMI) with perception and attitude towards body weight, shape and body image among adolescents.

METHODS

This cross-sectional study was conducted during academic year 2015-2016 in Pune, India. The socioeconomic variable was considered to be associated to type of school attended and fee structure of school. BMI was categorized according to revised Indian Association of Pediatrics (IAP) cut-off points [8]. Perceived body shape was measured using the Stunkard scale, which consists of silhouette drawings [9]. The difference between current body shape and ideal body shape was used to determine the level of dissatisfaction with body image. Participant's attitude towards body image was assessed

by using a self-administered Multidimensional Body-Self Relations Questionnaire (MBSRQ) [10]. There are 69 items in this measure, which are broken down into subscales: the first three special multi item subscales are the revised Body-Self Relations Questionnaire subscales, the Body Areas Satisfaction Scale and the weight attitude scales. An interpretation for each subscale is based on high and low scores. The questionnaire was translated into Marathi language according to universal translation method and tested for internal consistency. Internal consistency of the MBSRQ was obtained using Cronbach's Alpha, which was significant ($\alpha = 0.781$) indicating reliability of questionnaire. Statistical analyses were performed with Statistical Package for the Social Sciences version 20.0 (SPSS, Inc., Chicago, IL, USA).

RESULTS

A total of 1811 participants (956 boys) of age group 13-16 years (mean (SD) age 13.92 (0.63) years) from different schools were included.

There was a significant association ($P < 0.005$) between attitude towards body image and BMI among boys and girls. Significant difference ($P < 0.005$) was found in mean score of sub scales of MBSRQ such as appearance, fitness, body areas satisfaction and overweight preoccupation according to BMI categories among boys; whereas among girls; this difference was noted in subscales of appearance, health, body area satisfaction and overweight preoccupation (**Table Ia and Ib**).

Significant association ($P < 0.05$) was observed about self and others' perception of body weight and BMI categories for boys and girls as well as for both the socioeconomic class. (**Web Table I** and **Web Table II**) There is noticeable difference in the perception of body weight between the genders with 40% of overweight boys considering themselves as having normal weight compared to girls from same class. Likewise, when asked for their perceptions of how other people viewed their body weight, significantly high percent of overweight and obese boys as well as girls misperceived that others think that they are normal weight.

We observed statistical significance ($P < 0.05$) among boys and girls of both the Socioeconomic groups regarding perception of current body shape, ideal body shape and body dissatisfaction. Compared to boys, girls chose significantly ($P < 0.05$) smaller ideal body shapes and articulated a significantly higher level of body dissatisfaction (**Table II**).

DISCUSSION

In this cross sectional study, we found significant body image concerns in Indian adolescents in both boys and girls across socioeconomic classes. Body shape dissatisfaction was more in girls. Boys preferred a larger figure while girls chose a smaller figure than their current body shape as ideal. Higher number of girls misperceived their body weight. As compared to normal weight adolescents, under weight and overweight/obese boys and girls were unhappy with size and appearance of several body areas. These adolescents also showed fat anxiety, weight vigilance, dieting and eating restraint.

Significant association was found between various BMI categories and attitude towards appearance, fitness, health, body areas and overweight preoccupation.

Our study had limitation of being focussed only on urban children from a single city. We did not include children from early or late adolescence. We could not assess specific entities like breast size or penile length. Unlike our study, most other studies were on girls or late adolescence age (>16 yrs), and focused on perception of body shape rather than attitude.

In our study, we used BMI as an objective marker of the adolescent's overall body weight against the subjective evaluation by the adolescent of his/her own body weight. A few studies found that compared to males, females tend to be more dissatisfied with their body image during puberty phase [11-13]. Similar to our results, literature shows higher number of girls misperceiving their body weight [14,15]. The body weight misperception may lead to body image dissatisfaction, eating disorders and unhealthy diet practices among adolescents. Self-esteem plays a big role in how a person perceives his/her own body. This may explain why some of the normal weight adolescents in our study were unhappy.

Body shape is quite a sensitive topic in adolescents. The ideal body shape may differ by gender as well as sociocultural norms. Most of the studies reported that boys relate to muscular fitness while girls want thinner and slimmer body [3,5,14]. Tendency of boys to desire muscular body is related to physical strength, hardness and power. In our study, boys selected a larger figure than their current body shape while girls chose a smaller figure than their current body shape as ideal body shape. This is similar with previously reported studies [16,17]. The society considers looks more important in girls where as other things such as strength matter in boys. As against normal weight boys and girls, underweight and overweight/obese adolescents were unhappy with size or appearance of several areas in our study. The parents and peer influence, media portrayal and cultural invasion have reinforced this stereotype.

We suggest appropriate interventions such as life skills education and media literacy to minimize body image issues. In addition, information regarding normal growth and its variations should be provided to adolescents. Nationwide research is recommended to generalise our findings as well as to examine the parent and peer's perception of adolescents' body image. We conclude that Indian adolescents show significant concern about their body image and it is significantly associated to BMI.

WHAT THIS STUDY ADDS?

- Indian adolescents (age 13 to 16 years) have inaccurate perception of their body weight and shape.
- Adolescents across various BMI categories show different attitude towards body image and perceive their body weight/shape differently.

Acknowledgements: We would like to acknowledge the school principals and parents of students for their support. We are thankful to our biostatistician Dr. Kanade and Dr. Gauri Oka for their valuable guidance. We would also like to acknowledge Dr. Thomas Cash for allowing us to use their questionnaire (MBSRQ).

Contributors: VRD: conception and design of the study; VRD, AAK: organized the conduct of the study, supervised acquisition of data, analyzed the data and reviewed the literature. All authors contributed to drafting of the work, discussed and critically revised and approved the final version of the article for publication, and agree to be accountable for all aspects of the work.

Funding: None; *Competing interest:* None stated.

REFERENCES

- 1 Johnson F, Wardle J. Dietary restraint, body dissatisfaction, and psychological distress: A Prospective Analysis. *J Abnorm Psychol.* 2005;114:119-25.
- 2 Sano A, Le DS, Tran MH, Pham HT, Kaneda M, Murai E, *et al.* Study on factors of body image in Japanese and Vietnamese adolescents. *J Nutr Sci Vitaminology.* (Tokyo) 2008;54:169-75.
- 3 Singh MM, Ashok L, Binu VS, Parsekar SS, Bhumika TV. Adolescents and body Image: A cross sectional study. *Indian J Pediatr.* 2015;82:1107-11.
- 4 Waghachavare VB, Quraishi SR, Dhumale GB, Gore AD. A cross-sectional study of correlation of body image anxiety with social phobia and their association with depression in the adolescents from a rural area of Sangli District in India. *Int J Prev Med.* 2014;5:1626-9.
- 5 Dixit S, Agarwal G, Singh J, Kant S, Singh N. A study on consciousness of adolescent girls about their body image. *Indian J Community Med.* 2011;36:197-202.
- 6 Shah HD, Shaikh WA, Singh SK. Are Indian adolescent girl students more conscious about their Body Image than their colleague boys? *National Journal of Community Medicine.* 2012;3:344-7.
- 7 Rashmi BM, Patil SS, Angadi MM, Pattankar TP. A cross-sectional study of the pattern of body image perception among female students of BBM College in Vijayapur, North Karnataka. *J Clin Diagn Res.* 2016;10:LC05-9.
- 8 Khadilkar V, Yadav S, Agrawal KK, Tamboli S, Banerjee M, Cherian A, *et al.* Revised IAP growth charts for height, weight and body mass index for 5- to 18-year-old Indian children. *Indian Pediatrics.* 2015;52:47-55.
- 9 Bulik CM, Wade TD, Heath AC, Martin NG, Stunkard AJ, Eaves LJ. Relating body mass index to figural stimuli: population-based normative data for Caucasians. *Int J Obes Relat Metab Disord.* 2001;25:1517-24.

- 10 Brown TA, Cash TF, Mikulka PJ. Attitudinal body-image assessment: factor analysis of the Body-Self Relations Questionnaire. *J Pers Assess.* 1990;55:135-44.
- 11 Williams JM, Currie C. Self-esteem and physical development in early adolescence. *J Early Adolesc.* 2000;20:129-49.
- 12 Bahreynian M, Qorbani M, Motlagh ME, Heshmot R, Ardalan G, Kelishadi R. Association of perceived weight status versus body mass index on adherence to weight modifying plan among Iranian children and adolescent: The caspian-IV study. *Indian Pediatr.* 2015;52:857-63.
- 13 de Guzman NS, Nishina A. A longitudinal study of body dissatisfaction and pubertal timing in an ethnically diverse adolescent sample. *Body Image.* 2014;11:68-71.
- 14 Khor GL, Zalilah MS, Phan YY, Ang M, Maznah B, Norimah AK. Perceptions of body image among Malaysian male and female adolescents. *Singapore Med J.* 2009;50:303-11.
- 15 Kim JH, Lennon SJ. Mass media and self-esteem, body image, and eating disorder tendencies. *Clothing and Textiles Research Journal.* 2007;25:3-23.
- 16 Ishak Z, Jamaluddin S, Chew FP. Factors influencing students' self-concept among Malaysian Students. *Int J Social, Behavioral, Educational, Economic, Business and Industrial Engineering.* 2010;4:953-6.
- 17 Wong LM, Say YH. Gender differences in body image perception among northern Malaysian tertiary students. *Br J Med Medl Res.* 2013;3:727-47.

TABLE I a: ATTITUDE TOWARDS BODY IMAGE AMONG BOYS ACCORDING TO BMI CATEGORY

<i>Attitude scales of MBSRQ</i>	<i>BMI category of Boys</i>			<i>*P value</i>
	<i>Underweight Mean (SD)</i>	<i>Normal weight Mean (SD)</i>	<i>Overweight and Obese Mean (SD)</i>	
Appearance evaluation	3.41 (0.5)	3.49 (0.59)	3.33 (0.68)	0.003
Appearance orientation	3.52 (0.59)	3.43 (0.64)	3.39 (0.67)	0.321
Fitness evaluation	3.61 (0.88)	3.88 (0.82)	3.79 (0.79)	0.035
Fitness orientation	3.67 (0.56)	3.87 (0.58)	3.80 (0.63)	0.033
Health orientation	3.39 (0.49)	3.51 (0.55)	3.48 (0.55)	0.262
Health evaluation	3.33 (0.65)	3.46 (0.63)	3.36 (0.61)	0.06
Illness orientation	3.44 (0.71)	3.30 (0.85)	3.31 (0.74)	0.43
Body areas satisfaction scale	3.51 (0.81)	3.92 (0.69)	3.70 (0.74)	0.001
Overweight preoccupation	2.36 (0.78)	2.37 (0.89)	2.79 (0.91)	0.001

TABLE I b: ATTITUDE TOWARDS BODY IMAGE AMONG GIRLS ACCORDING TO BMI CATEGORY

<i>Attitude scales of MBSRQ</i>	<i>BMI category of Girls</i>			<i>*P value</i>
	<i>Underweight Mean (SD)</i>	<i>Normal weight Mean (SD)</i>	<i>Overweight and Obese Mean (SD)</i>	
Appearance evaluation	3.10 (0.58)	3.34 (0.57)	3.18 (0.62)	0.001
Appearance orientation	3.69 (0.55)	3.62 (0.59)	3.69 (0.65)	0.32
Fitness evaluation	3.47 (0.8)	3.73 (0.8)	3.67 (0.75)	0.06
Fitness orientation	3.60 (0.48)	3.77 (0.57)	3.73 (0.54)	0.09
Health orientation	3.43 (0.44)	3.53 (0.54)	3.54 (0.53)	0.47
Health evaluation	3.30 (0.60)	3.48 (0.62)	3.33 (0.63)	0.004
Illness orientation	3.53 (0.74)	3.56 (0.88)	3.46 (0.88)	0.36
Body areas satisfaction scale	3.59 (0.56)	3.81 (0.63)	3.50 (0.62)	0.001
Overweight preoccupation	2.51 (0.90)	2.60 (0.95)	3.21 (0.91)	0.001

WEB TABLE I PERCEPTION OF BODY WEIGHT BY SELF (I THINK I AM) FOR GENDER AND SOCIOECONOMIC CLASS IN BOYS AND GIRLS

Perception		BMI Category N (%)				P value
Boys HSEC	I Think I am	Underweight (N =11)	Normal (N = 309)	Ow/Ob (N = 164)	Total (N = 484)	0.0001
	Underweight	7 (63.6%)	92(29.8%)	3 (1.8%)	102 (21.1%)	
	Normal	4 (36.4%)	193(62.5%)	65 (39.6%)	262 (54.1%)	
	Ow/Ob	0	24 (7.8%)	96 (58.5%)	120 (24.8%)	
LSEC	I Think I am	Underweight (N =46)	Normal (N = 338)	Ow/Ob (N = 88)	Total (N = 472)	0.0001
	Underweight	34 (73.9%)	120 (35.5%)	09 (10.2%)	163 (34.5%)	
	Normal	07 (15.2%)	174 (51.5%)	31 (35.2%)	212 (44.9%)	
	Ow/Ob	05 (10.9%)	44 (13.0%)	48 (54.5%)	97 (20.6%)	
<i>Girls</i>						
HSEC	I Think I am	Underweight (N=17)	Normal (N = 295)	Ow/Ob (N = 143)	Total (N = 455)	0.0001
	Underweight	13 (76.5%)	69 (23.4%)	3 (2.1%)	85 (18.7%)	
	Normal	04 (23.5%)	197 (66.8%)	39 (27.3%)	240 (52.7%)	
	Ow/Ob	0	29 (9.8%)	101(70.6%)	130 (28.6%)	
LSEC	I Think I am	Underweight (N=31)	Normal (N = 306)	Ow/Ob (N = 63)	Total (N = 400)	0.0001
	Underweight	27 (87.1%)	74 (24.2%)	03 (4.8%)	104 (26.0%)	
	Normal	03 (9.7%)	173 (56.5%)	11(17.5%)	187 (46.75%)	
	Ow/Ob	01(3.2%)	59 (19.3%)	49(77.8%)	109 (27.25%)	

Ow /Ob= Overweight and obese; HSEC= High Socioeconomic Class; LSEC= Low Socioeconomic Class.

WEB TABLE II PERCEPTION OF BODY WEIGHT BY SELF (OTHER THINK I AM) FOR GENDER AND SOCIAL CLASS

<i>Perception</i>		<i>BMI Categories</i>				<i>P value</i>
	<i>I Think I am</i>	<i>Underweight</i> (N =11)	<i>Normal weight</i> (N = 309)	<i>Ow/Ob</i> (N = 164)	<i>Total</i> (N = 484)	
<i>Boys</i> <i>HSEC</i>	<i>I Think I am</i>	<i>Underweight</i> (N =46)	<i>Normal weight</i> (N = 338)	<i>Ow/Ob</i> (N = 88)	<i>Total</i> (N = 472)	<0.001
	<i>Underweight</i>	10 (90.9%)	129 (41.7%)	5 (3.0%)	144 (29.8%)	
	<i>Normal</i>	01 (9.1%)	158 (51.1%)	74 (45.1%)	233 (48.1%)	
	<i>OW/Ob</i>	0	22 (7.1%)	85 (51.8%)	107 (22.1%)	
<i>LSEC</i> [‡]	<i>I Think I am</i>	<i>Underweight</i> (N =17)	<i>Normal weight</i> (N = 295)	<i>Ow/Ob</i> (N = 143)	<i>Total</i> (N = 455)	0.001
	<i>Underweight</i>	13(76.5%)	94(31.9%)	8 (5.6%)	115(25.3%)	
	<i>Normal</i>	3(17.6%)	175(59.3%)	53(37.1%)	231(50.8%)	
	<i>Ow/Ob</i>	1(5.9%)	26(8.8%)	82(57.3%)	109(24.0%)	
<i>Perception</i>		<i>BMI Categories of Girls N (%)</i>				
<i>HSEC</i>	<i>I Think I am</i>	<i>Underweight</i> (N=31)	<i>Normal weight</i> (N = 306)	<i>Ow/Ob</i> (N = 63)	<i>Total</i> (N = 400)	0.001
	<i>Underweight</i>	25(80.6%)	116(37.9%)	1(1.6%)	142(35.5%)	
	<i>Normal</i>	6(19.4%)	145(47.4%)	18(28.6%)	169(42.2%)	
	<i>Ow/Ob</i>	0	45(14.7%)	44(69.8%)	89(22.2%)	

Ow /Ob= Overweight and obese. HSEC= High Socioeconomic Class; LSEC= Low Socioeconomic Class.

TABLE II PERCEPTION OF BODY SHAPE BASED ON THE MODIFIED FIGURE RATING SCALE OF STUNKARD

<i>Body Shape</i>	<i>Boys</i> <i>Mean (SD)</i>	<i>Girls</i> <i>Mean (SD)</i>	<i>P value</i>
<i>HSEC</i>			
Current body shape	4.44 (1.30)	3.64 (1.20)	<0.001
Ideal body shape	4.62 (0.66)	3.32 (0.79)	<0.001
Body dissatisfaction ¹	-0.19 (1.33)	0.31 (1.12)	<0.001
<i>LSEC</i>			
Current body shape	4.32 (1.34)	3.67 (1.19)	<0.001
Ideal body shape	4.59(0.98)	3.62 (0.89)	<0.001
Body dissatisfaction	-0.27 (1.31)	0.27 (1.11)	<0.001

HSEC= High Socioeconomic Class and LSEC= Low Socioeconomic Class.

Body dissatisfaction = current body shape - ideal body shape.

Significantly more girls are dissatisfied with their body shape that girls across both socioeconomic class.